



**MERMAID TRADING COMPANY**

**شركة حورية المشرق للتجارة**

**OIL FIELD SUPPORT SERVICES**

CR. 2050178891

PRODUCT

# CATALOGUE

2023-2024







## About Us

**M**ermaid is a leading construction firm in Kingdom of Saudi Arabia, providing complete solutions in all discipline Civil, Mechanical, Electrical, Interior Design with execution, Instrumentation, Security Systems and Administration Services of Petrochemical and Oil fields. Since 2008, we have been providing our clients with reliable solution to their project construction and plant maintenance challenges. .

Mermaid was formed in 2008 under the Commercial Registration 2053018584, for general contracting maintenance, industrial and project support services with 100 present Saudi ownership.

Today, we are recognized as a regional leader in the Project Support industry,

for our strength in construction ceeding ever methods and for our creative, fresh approach to cutting edge technologies and delivery systems. Our team of construction professional offers a single source solution for your construction related needs. Whether its restoration, site preparation, a new facility or facility renovation, we have the experience and personnel to provide the highest quality construction on schedule and within budget. We support our clients from project inception, to the commissioning of the fully operational facility. And our network of local offices enables us to offer our clients the dual advantage of a strong local presence and broad geographic reach.

## Our Mission

our passion for what we do, and the innovative ideas allows our clients to the most innovative and creative solutions. Our down to earth team offers a relaxing environment where client's input is valued. We build strong customer relationships by operating with integrity with the aim of exceeding every expectations of yours. We are committed to be your First Choice!


## Our Vision

Mermaid is committed to being a construction contractor that is known externally for quality, integrity and resourcefulness, and internally for profitability and employee satisfaction.



# Content

- 01 SAFETY AND PPE
- 02 PNEUMATIC TOOLS
- 03 POWER TOOLS
- 04 ABRASIVES
- 05 HYDRAULIC SYSTEMS AND TORQUE WRENCHES
- 06 PLUMBING AND PIPELINE
- 07 CLEANING AND CHEMICALS
- 08 SAFETY & SECURITY







# Overview


Cutting, Grinding, Sanding & Drilling



Adhesives & Tapes



Band & Buckles, Clamps & Cable Ties





Testing & Measuring Equipments



Hydraulic Tools




Pneumatic Tools



Piping Tools



Lifting Apparatus



Lockset safety lock out tag out





Safety & PPE



Spray Painting Equipment & Accessories



Welding Equipment & Accessories



Ladders & Mobile Scuffolding







# PNEUMATIC TOOLS

A pneumatic tool, air tool, air-powered tool or pneumatic-powered tool is a type of power tool, driven by compressed air supplied by an air compressor. Pneumatic tools can also be driven by compressed carbon dioxide (CO<sub>2</sub>) stored in small cylinders allowing for portability.

## PNEUMATIC TOOLS



### BELT SANDER

Model	SI - 2740
Belt Size	10x330mm
Free Speed	15,000r.p.m
Length x Height	140x170mm
Weight	0.73kg



### BELT SANDER

Model	SI - 2700
Belt Size	10x330mm
Free Speed	15,000r.p.m
Length x Height	140x170mm
Weight	0.82kg



### BELT SANDER

Model	SI - 2800
Belt Size	20x520mm
Free Speed	15,000r.p.m
Length x Height	215x170mm
Weight	1.43kg




### BELT SANDER

Model	SI - 2700ts
Belt Size	13x460mm
Free Speed	15,000r.p.m
Length x Height	230x170mm
Weight	0.9kg



### BELT SANDER

Model	SI - 3200A
Belt Size	75x70mm
Free Speed	21,000r.p.m
Length x Height	182x57mm
Weight	0.65kg



### ORBITAL SANDER

Model	SI - 3003A
Pad Size	75x100mm
Free Speed	9,000r.p.m
Length x Height	182x57mm
Orbital diameter	4mm
Weight	1.05kg



### ORBITAL SANDER

Model	SI - 3001A
Pad Size	75x100mm
Free Speed	10,000r.p.m
Length x Height	154x82mm
Orbital diameter	4mm
Weight	1.15kg



### ORBITAL SANDER

Model	SI - 3003A
Pad Size	95x175mm
Free Speed	7,000r.p.m
Length x Height	343x107mm
Orbital diameter	5mm
Weight	2.31kg



### MINI ORBITAL SANDER

Model	SI - 3310
Pad Size	30mm
Free Speed	10,000r.p.m
Length x Height	187x68mm
Orbital diameter	3mm
Weight	0.56kg



### MINI ORBITAL SANDER

Model	SI - 2107A
Pad Size	50mm
Free Speed	14,000r.p.m
Length x Height	170x84mm
Orbital diameter	3mm
Weight	0.55kg



## PRODUCT CATALOGUE



### HEAVY DUTY MINI ORBITAL

Model	SI - 2108
Pad Size	75mm
Free Speed	15,500r.p.m
Length x Height	166x84mm
Orbital Diameter	3mm
Weight	0.62kg



### ORBITAL SANDER CENTRAL VACUUM

Model	SI - 3121-6
Pad Size	150mm
Free Speed	10,000r.p.m
Length	240mm
Orbital Diameter	5mm
Weight	1.31kg



### DUAL ACTION SANDER

Model	SI - 311SR-6
Pad Size	150mm
Free Speed	4,000r.p.m
Length	166mm
Orbital Diameter	4.4mm
Weight	1.51kg



### WET SANDER

Model	SI - 2322WR-LE
Disk Size	80mm
Speed/Min	5,500r.p.m
Length	230mm
Weight	1.32kg



### DISK SANDER

Model	SI - 2210
Belt Size	75mm
Free Speed	19,000r.p.m
Length	123mm
Weight	0.99kg



### DISK SANDER

Model	SI - 2026
Disk Size	125mm
Free Speed	5,500r.p.m
Length	285mm
Weight	1.50kg



### POLISHER

Model	SI - 2009
Belt Size	75mm
Free Speed	2,600r.p.m
Lengthxheight	180x76mm
Weight	0.68kg



### DISK SANDER

Model	SI - 2201-2
Disk Size	50mm
Free Speed	7,000r.p.m
Length	96mm
Weight	0.50kg



### DUAL ACTION SANDERS

Model	SI - 3101LG
Leather Pad	5"
Free Speed	10,000
Weight	0.88kg



### DISK SANDER

Model	SI - 3130
Disk Size	5"
Free Speed	10,000r.p.m
Weight	0.92kg

## PRODUCT CATALOGUE



### POLISHER

Model	SI - 2221
Pad Size	75mm
Free Speed	4,500r.p.m
Length x Height	147mm
Weight	0.64kg



### POLISHER

Model	SI - 3100P
Pad Size	150mm
Free Speed	8,000r.p.m
Length x Height	216x131mm
Orbital diameter	6mm
Weight	1.81kg



### POLISHER

Model	SI - 2224S
Pad Size	75mm
Free Speed	5,000r.p.m
Length x Height	143mm
Weight	0.60kg



### SPOT MILLLS

Model	SI - 5800
Starndard	Accessory
Free Speed	1,600r.p.m
Length	303mm
Milling cutter	6mm
Weight	1.80kg



### POLISHER

Model	SI - 241S
Pad Size	140mm
Free Speed	1,200r.p.m
Length x Height	247x107mm
Orbital diameter	4.4mm
Weight	1.45kg



### SPOT MILLLS

Model	SI - 5850
Starndard	Accessory
Free Speed	1,600r.p.m
Length	202mm
Milling cutter	8mm
Weight	1.39kg



### DRILLS

Model	SI - 201SAD
Cap Size	9.5mm
Free Speed	6,000r.p.m
Length x Height	231mm
Weight	1.06kg



### POLISHER

Model	SI - S30SA
Cap Size	9.5mm
Free Speed	2,000r.p.m
Length	132mm
Weight	1.02kg



### DRILLS

Model	SI - S200A
Cap Size	12.7mm
Free Speed	600r.p.m
Length	189mm
Weight	1.42kg



### REVESIBLE DRILLS

Model	SI - S305-8A
Cap Size	12.7mm
Free Speed	800r.p.m
Length	155mm
Weight	1.45kg



## PRODUCT CATALOGUE



### DRILLS

Model	SI - S300A
Cap Size	9.5mm
Free Speed	2,000r.p.m
Length x Height	133mm
Weight	0.91kg



### DRILLS

Model	SI - 5355
Cap Size	9.5mm
Free Speed	1,200r.p.m
Length x Height	202x72mm
Weight	0.94kg



### DRILLS

Model	SI - 5501
Cap Size	9.5mm
Free Speed	2,400r.p.m
Length x Height	115mm
Weight	0.6kg



### REVERSIBLE DRILLS

Model	SI - 5405
Cap Size	9.5mm
Free Speed	1,500r.p.m
Length	130mm
Weight	1.08kg



### REVERSIBLE DRILLS

Model	SI - 5506
Cap Size	9.5mm
Free Speed	1,700r.p.m
Length x Height	115mm
Weight	0.6kg



### REVERSIBLE DRILLS

Model	SI - 5405-6
Cap Size	12.7mm
Free Speed	600r.p.m
Length	235mm
Weight	1.41kg



### DRILLS

Model	SI - 5500
Cap Size	9.5mm
Free Speed	2,600r.p.m
Length x Height	130mm
Weight	0.79kg



### IMPACT WRENCHES

Model	SI - 1305
SQ DR	3/8"
Bolt Capacity	10mm
Length	158mm
Weight	0.9kg



### IMPACT WRENCHES

Model	SI - 1357
SQ.DR.	3/8"
Bolt Capacity	10r.p.m
Length	126mm
Weight	1.10kg



### IMPACT WRENCHES

Model	SI - 14908
SQ DR	3/8"
Bolt Capacity	20mm
Length	175mm
Weight	1.9kg

## PRODUCT CATALOGUE



### IMPACT WRENCHES

Model	SI - 1457
SQ DR	1/2"mm
Bolt Capacity	16mm
Length	126mm
Weight	1.10kg



### IMPACT WRENCHES

Model	SI - 1492B
Extra	50mm
SQ DR	1/2"
Bolt Capacity	20mm
Length	220mm
Weight	1.94kg



### IMPACT WRENCHES

Model	SI - 1610
SQ DR	1/2"mm
Bolt Capacity	18mm
Length	148mm
Weight	1.04kg



### IMPACT WRENCHES

Model	SI - 1550
SQ DR	3/4"mm
Bolt Capacity	24mm
Length	218mm
Weight	3.25kg



### IMPACT WRENCHES

Model	SI - 1860
SQ DR	1"mm
Bolt Capacity	41mm
Length	285mm
Weight	10.9kg



### IMPACT WRENCHES

Model	SI - 1876
SQ DR	1"mm
Bolt Capacity	40mm
Length	516mm
Weight	12.1kg



### IMPACT WRENCHES

Model	SI - 1866
SQ DR	1"mm
Bolt Capacity	41mm
Length	438mm
Weight	12.4kg



### IMPACT WRENCHES

Model	SI - 1878
Extra	200mm
SQ DR	1"
Bolt Capacity	40mm
Length	567mm
Weight	12.3kg



### IMPACT WRENCHES

Model	SI - 1870
SQ DR	1"mm
Bolt Capacity	41mm
Length	350mm
Weight	10.6kg



### IMPACT WRENCHES

Model	SI - 1900
SQ DR	1.5"mm
Bolt Capacity	55mm
Length	510mm
Weight	18.0kg



## PRODUCT CATALOGUE



### IMPACT DRIVERS

Model	SI -1052
Capacity	6mm
Free Speed	13,000r.m.p
Length	172mm
Weight	0.56kg



### IMPACT DRIVERS

Model	SI -1070
Capacity	6mm
Free Speed	11,000r.m.p
Length	165mm
Weight	0.65kg



### IMPACT DRIVERS

Model	SI - 1060
Cap Size	6mm
Free Speed	11,000r.m.p
Length	208mm
Weight	0.87kg



### IMPACT DRIVERS

Model	SI -1060
Capacity	8mm
Free Speed	9,000r.m.p
Length	142mm
Weight	1.22kg



### REVERSIBLE DRILLS

Model	SI - 1062
Cap Size	6mm
Free Speed	11,000r.m.p
Length	181mm
Weight	0.79kg



### IMPACT DRIVERS

Model	SI -13650
Capacity	8mm
Free Speed	8,000r.m.p
Length	143mm
Weight	1.32kg



### RATCHET WRENCHES

Model	SI - 11078
Model	SI - 11088
SQ	3/8", 1/4"
Bolt Capacity	6.35mm, 10mm
Free Speed	300r.p.m
Length	125mm
weight	0.3kg, 0.40Kg



### RATCHET WRENCHES

Model	SI - 12008
Model	SI - 12058
SQ	3/8", 1/4"
Bolt Capacity	6.35mm, 10mm
Free Speed	200r.p.m
Length	168mm
weight	0.51kg



### DRILLS

Model	SI - 1207EX
Model	SI - 1208EX
SQ	3/8", 1/4"
Bolt Capacity	6.35mm, 10mm
Free Speed	200r.p.m
length	168mm
weight	0.54kg



### RATCHET WRENCHES

Model	SI - 1320A
Model	SI - 1325A
SQ	3/8", 1/4"
Bolt Capacity	12mm, 14mm
Free Speed	160r.p.m
length	265mm
weight	1.64kg, 1017kg



## RATCHET WRENCHES

Model	SI - 1340EX
Model	SI - 1208EX
SQ	3/8", 1/2"
Bolt Capacity	12mm, 14mm
Free Speed	160r.p.m
length	265mm
weight	1.14kg, 1.15kg



## RATCHET WRENCHES

Model	SI - 1435
SQ DR	1/2
Bolt Capacity	16mm
Free Speed	140r.p.m
Length	368mm
Weight	1.95kg



## RATCHET WRENCHES

Model	SI - 1251
Model	SI - 1252
SQ	3/8", 1/4"
Bolt Capacity	6.35mm, 10mm
Free Speed	200r.p.m
length	168mm
weight	0.56kg



## SCREW DRIVERS

Model	SI - 1140
Bolt Capacity	4mm
Free Speed	1700r.p.m
Length	203mm
Weight	0.62kg



## REVERSIBLE WRENCHES

Model	SI - 1241A
SQ	3/8"
Bolt Capacity	10mm
Free Speed	250r.p.m
Length	190mm
Weight	0.63kg



## SCREW DRIVERS

Model	SI - 1161
Bolt Capacity	6mm
Free Speed	1600r.p.m
Length	247mm
Weight	1.12kg



## RATCHET WRENCHES

Model	SI - 1288
HEX	17mm
SQ	3/8"
Bolt Capacity	8-17mm
Free Speed	180r.p.m
length	211mm
weight	0.54kg



## SCREW DRIVERS

Model	SI - 1166A
Bolt Capacity	6mm
Free Speed	2000r.p.m
Length	207mm
Weight	1.18kg



## AIR HAMMER

Model	SI - 4120A
Shank Opening	10.2mm
Blows/Min	2600r.p.m
Length	206mm
Weight	1.60kg



## PRODUCT CATALOGUE



### HYDRO PUNCHER

Model	SI - 4800
Punching Cap.	5×1.2mm
Cutting Cap.	1.2mm
Length	368mm
Weight	1.01kg



### DIE GRINDERS

Model	SI - 2002EX
Collect Size	1/4"
Free Speed	27,000r.p.m
Noise Level	dBA84
Weight	0.37kg



### NEEDLE SCALER

Model	SI - 4160
Stroke Length	Max 4.5mm
Blow Speed	3,300
Weight	2.19kg
Noise level	dBA95



### DIE GRINDERS

Model	SI - 2005HD
Collect Size	1/4"
Free Speed	20,000r.p.m
Noise Level	dBA81
Weight	0.56kg



### NEEDLE SCALER

Model	SI - 4150EX
Stroke Length	Max 4.5mm
Blow Speed	3,500
Weight	2.06kg
Noise level	dBA97



### DIE GRINDERS

Model	SI - 2001S
Collect Size	1/4"
Free Speed	25,000r.p.m
Noise Level	dBA84
Weight	0.37kg



### DIE GRINDERS

Model	SI - 2022S
Collect Size	1/4"
Free Speed	24,000r.p.m
Noise Level	dBA89
Weight	1.34kg



### DIE GRINDERS

Model	SI - 2012EX
Collect Size	1/4"
Free Speed	25,000r.p.m
Noise Level	dBA87
Weight	0.60kg



### DIE GRINDERS

Model	SI - 2022S
Collect Size	1/4"
Free Speed	24,000r.p.m
Noise Level	dBA89
Vibration a/k	m/s 7.4/1.6
Weight	1.34kg



### CUT OFF GRINDERS

Model	SI - 2033
Disk Size	3"
Free Speed	24,000r.p.m
Noise Level	dBA89
Weight	1kg



## DISC GRINDER LEVER

Model	SI - 2501L
Disk Size	4"
Free Speed	13,000r.p.m
Noise Level	dBA81
Weight	1.04kg



## DISC GRINDER ROTARY

Model	SI - 2501
Disk Size	4"
Free Speed	13,000r.p.m
Noise Level	dBA81
Weight	0.91kg



## DISC GRINDER LEVER

Model	SI - 2500L
Disk Size	4"
Free Speed	12,700r.p.m
Noise Level	dBA80
Weight	1.82kg



## DISC GRINDER ROTARY

Model	SI - 2500
Disk Size	4"
Free Speed	12,700r.p.m
Noise Level	dBA84
Weight	1.87kg



## DISC GRINDER

Model	SI - 2515LA
Disk Size	5"
Free Speed	12,000r.p.m
Noise Level	dBA85
Weight	1.65kg



## DISC GRINDER ROTARY

Model	SI - 2505L
Disk Size	5"
Free Speed	12,000r.p.m
Noise Level	dBA82
Weight	1.91kg



## DISC GRINDER

Model	SI - 2600L
Disk Size	7"
Free Speed	7,500r.p.m
Noise Level	dBA97
Weight	3.24kg



## DISC GRINDER ROTARY

Model	SI - 2050AG
Disk Size	30mm
Free Speed	21,000r.p.m
Noise Level	dBA71
Weight	0.23kg



## WET GRINDER

Model	SI - 2600L
Disk Size	5"
Free Speed	10,000r.p.m
Noise Level	dBA85
Weight	1.34kg



## DISC GRINDER ROTARY

Model	SI - 20515G
Disk Size	1/8"
Free Speed	50,000r.p.m
Noise Level	dBA71
Weight	0.19kg



## PRODUCT CATALOGUE



### CUTTING NIBBLER

Model	SI - 4600
Cutting Width	4.5mm
Free Speed	2,600r.p.m
Noise Level	dBA88
Weight	1.00kg



### CUTTING SHEAR

Model	SI - 4500
Cutting Width	5.4mm
Free Speed	2,000r.p.m
Noise Level	dBA83
Weight	1.26kg



### CUTTING TRIMMER

Model	SI - 2018A
Collect Size	1.4"
Free Speed	26,000r.p.m
Noise Level	dBA87
Weight	0.91Kg



### CUTTING TRIMMER

Model	SI - 2018A-6
Collect Size	1.4"
Free Speed	26,000r.p.m
Noise Level	dBA87
Weight	0.91Kg



### OSCILLATION CUTTER

Model	SI - 4300
Disk Size	63mm
Free Speed	20,000r.p.m
Noise Level	dBA88
Weight	0.89Kg



### CUTTING SAW

Model	SI - 4700B
Cutting Cap	3mm
Free Speed	10,000r.p.m
Noise Level	dBA82
Weight	0.58Kg



### CUTTING SAW

Model	SI - 4730
Cutting Cap	5mm
Free Speed	6,000r.p.m
Noise Level	dBA86
Weight	0.92Kg



### CUTTING SAW

Model	SI - 4710F
Cutting Cap	3mm
Free Speed	10,000r.p.m
Noise Level	dBA85
Weight	0.80Kg



### EDGE CUTTER

Model	SI - 4010L
Motor Watt	900
Free Speed	10,000r.p.m
Air consumption	16
Weight	1.34Kg



### DIE GRINDER

Model	SI - 5G40E-6L
Motor Watt	450
Free Speed	50,000r.p.m
Noise Level	dBA73.5
Weight	0.650Kg

## PRODUCT CATALOGUE



### AIR HYDRAULIC RIVETER

Model	AHR-0316
Size	2,4,4.8,6.4mm



### HAND GREASE GUN

Model	HG67-3
Size	



### HAND GREASE GUN

Model	HGP-020
Size	20L



### HAND GREASE GUN/AIR OPERATED GREASE PUMP

Model	AGP-4501
Size	200L



### AIR OIL PUMP

Model	AOP-0501
Size	200L



### METAL ROTARY HAND PUMP CASTIRON

Model	RPM-0025
Size	



### AIR SPARY GUN ALUMINIUM CUP

Model	AOP-0501
Size	200L



### AIR SPRAY GUN NYLON CUP

Model	J-1001
Size	125CC



### AIR SPARY GUN ALUMINIUM CUP

Model	AD2106
Size	2 Way



### TIER INFLATOR

Model	TiG3108
Size	3 IN 1

# PRODUCT CATALOGUE



## AIR STAPLER

Model	ASGT3-3
Size	6-16mm



## AIR STAPLER

Model	AS -9240
Size	19-40mm



## AIR DIEGRINDER AND GRINDING

Model	ADG-S016
Size	6mm



## AIR BRASS COUPLER SET

Model	AGP - 4501
Size	5pcs



## BUCKET GREASE PUMP

Model	VGP/6A
Size	6kg up to 20kg



## BUCKET GREASE PUMP - HYDRAULIC

Model	GZ/BGRP-03
Size	30kg, 50kg



## BUCKET GREASE PUMP- FOOT OPERATED

Model	FOP/10A
Size	10kg



## HEIGH PRESSURE GREASE PUMP

Model	GFP/HP/03-PRO
Size	5Gal



## GREASE GUN HYDRAULIC

Model	FOP/10A
Size	10kg



## PORTABLE GREASING SYSTEM

Model	GS - 5
Size	5kg



## PRODUCT CATALOGUE



### AIR HAMMER

Model	AH10-190
Size	10PCS ,190mm
RPM3000	450FT-LBS



### AIR HAMMER

Model	AH6-250
Size	7PCS ,250mm
RPM3000	450FT-LBS



### ORBITAL SANDER

Model	CP7255CV
Pad Dia	6"
Pad type	Hook and Loop
Speed	12,000r.p.m



### STREIGHT SCREW DRIVER

Model	CP2829
Speed	750r.p.m
Working Torque	2.5NM-5.2NM
Out put Drive	1/4"



### RIVETER

Model	CP9882
Rivert Size	2.4,3.2,4,4.8mm
Pulling up to	2,200 lbs
Net weight	1.5kg



### RIVETER FOR LIGHT WORK

Model	CP9883
Rivert size	2,4,3.2,4,4.8mm
Pulling up to	1,900 lbs
Net weight	1.46kg



### HEAVY DUTY RIVETER

Model	CP9882
Rivert Size	2.4,3.2,4,4.8mm
Pulling up to	3,530 lbs
Net weight	1.9kg



### HEAVY DUTY RIVETER

Model	RC6720
Pulling up to	12000 N



### PENCIL GRINDER KIT

Model	CP9882
Rivert Size	2.4,3.2,4,4.8mm
Pulling up to	3,530 lbs
Net weight	1.9kg



### ENGRAVING PEN

Model	CP9160
Blows	32,400 BPM

## PRODUCT CATALOGUE



### AIR HAMMER

Model
07749:1/2" IMPACT WRENCH_1300Nm
07749:3/4" IMPACT WRENCH_1650Nm
07749:1/2" IMPACT WRENCH_1650Nm



### AIR HAMMER

Model	Size
CP121AR	5"
CP120CR	4"
CP857	7"



### AIR SCRIBE KIT

Model	CP2829
-------	--------



### DRILL

Model	Size
CP9790C	10mm
CP9791C	13mm



### FILTER REGULATOR LUBRICATOR

Model	8940171944
-------	------------



### SPRIAL HOSE

Model	Size
6158109680	SPIRAL HOSE PUR 06.5X10MM4M NPT
615810P690	SPIRAL HOSE PUR 06.5X10MM6M NPT



### AIR TOOL OIL

Model	CA000046
OIL PROTECTOAUBE 591ML	



### DRILL

Model	Size
HR8108	10Mtr
HR8110	16Mtr
HR9110	20Mtr



### BALANCER

Model
OIL PROTECTOAUBE 591ML



### DRILL

Model	Size
HR8108	10Mtr
HR8110	16Mtr
HR9110	20Mtr

## PRODUCT CATALOGUE



### DRILL

Model	Belt Size
40320	3/4"W x 18"L
40335	1/2W x 18"L



### ABRASIVE FINISHING TOOL

Model	Size
13505	5/8x11,3400rpm
13506	5/8x3,3400rpm
13512	1/2W x 18"L



### DRILL

Model	Belt Size
48360	1/4 6mm collets
48325	1/4
40335	1/2W x 18"L



### DISK SANDER

Model	Size
48500	2",25,000rpm
47821	2",15,000rpm
48531	3",20,000rpm
48532	4",12,000rpm



### STRAIGHT DRILL

Model	Size
53097	1/4" Drill chunk 20,000 rpm



### NON VACUUM ORBITAL SANDER



### SELF GENERATED VACUUM SANDER



### NON VACUUM ORBITAL SANDER

Model	Size
52706	4"
52632	4.5"
52633	5"
50350	7"
53249	9"



### SANDING PAD

Model	Belt Size
56087	3"
54311	3.5"
56196	5"
56156	6"





# POWER TOOLS

A power tool is a tool that is actuated by an additional power source and mechanism other than the solely manual labor used with hand tools. The most common types of power tools use electric motors. Internal combustion engines and compressed air are also commonly used. Tools directly driven by animal power are not generally considered power tools.

## POWER TOOLS



### 10.8V CORDLESS DRILL DRIVER

Code No.	DD-1202L
Battery	1.3Ah
Chuck	10mm
R.P.M	1300
Weight	1kg



### 14V CORDLESS DRILL DRIVER

Code No.	DD-1442P
Battery	2.6Ah
Chuck	10mm
R.P.M	0-800
Weight	1.4kg



### 18V CORDLESS DRILL DRIVER

Code No.	DD-1202L
Battery	2Ah/4.0Ah
Chuck	13mm
R.P.M	550-2000
Weight	1.4kg




### 18V PERCUSSION CORDLESS DRILL DRIVER

Code No.	DM18BL
Battery	4.0Ah/5.0Ah
Chuck	13mm
R.P.M	500-2000
Weight	1.4kg



### 118V CORDLESS ROTARY HAMMER

Code No.	DD-1202L
Battery	4.0Ah/5.0Ah
B.P.M	4400
R.P.M	1200
Weight	1.65kg




### 36V ROTARY HAMMER DRILL

Code No.	DM3600L
Battery	3.0Ah
B.P.M	13mm
R.P.M	4790
Weight	4.7kg



### 18V CORDLESS IMPACT WRENCH

Code No.	DD-1202L
Socket Size	1/2"
Battery	4.0Ah/5.0Ah
R.P.M	1300-3000
Max Torque	170NM
Weight	1.45kg




### 18V CORDLESS IMPACT WRENCH

Code No.	IW188L
Socket Size	1/4"
Battery	4.0Ah/5.0Ah
R.P.M	1100-2400
Max Torque	270 NM
Weight	1.62kg



### 18V CORDLESS IMPACT WRENCH

Code No.	DD-1202L
Socket Size	1/2"
Battery	4.0Ah/5.0Ah
R.P.M	1900
Max Torque	1000NM
Weight	3.2kg



### 18V CORDLESS IMPACT WRENCH

Code No.	DIW1801L
Battery	2.0Ah/4.0Ah
R.P.M	1200-2400
Max Torque	250 NM
Weight	1.65kg

## PRODUCT CATALOGUE



### 18V CORDLESS ANGLE GRINDER 4"

Code No.	DG188L-100
Battery	4.0/5.0AH
size	100mm
Wattage	800W
RPM	11000
Weight	2.4kg



### 18V CORDLESS ANGLE GRINDER 4.5"

Code No.	DG188L-115
Battery	4.0/5.0AH
size	115mm
Wattage	800W
RPM	10000
Weight	2.4kg



### 18V CORDLESS DIE GRINDER

Code No.	PG188L
Battery	4.0/5.0AH
size	6mm
RPM	2500
Weight	2.00kg



### 18V CORDLESS MULTI TOOL CUTTER

Code No.	MC18BL
Battery	2.0/4.0/5.0Ah
Oscillation	1.8Degrees
RPM	20000
Weight	2.00kg



### 36V CORDLESS AIR BLOWER

Code No.	BR36BL
Battery	6.0Ah
R.P.M	20000
Air Volume	660m³/h
Weight	3.75kg



### 18V CORDLESS AIR BLOWER

Code No.	BR18BL
Battery	2.0/4.0/5.0Ah
R.P.M	20000
Air Volume	183m³/h
Weight	1.7kg



### 18V CORDLESS RECIPROCATING SAW

Code No.	RS-1800L
Battery	3.0Ah
Stroke length	30mm
S.P.M	3000
Weight	1.45kg



### 18V CORDLESS CIRCULAR SAW

Code No.	CS1800L
Wheel Size	165mm
Battery	2.0/4.0Ah
R.P.M	4000
Weight	3.2kg



### ULTRA LIGHT DRILL

Code No.	PD-6KB
Metal	6.5mm
Wood	13mm
Wattage	300W
Weight	0.9kg



### LIGHT DRILL

Code No.	PDS2-10
Metal	10mm
Wood	21mm
Wattage	350W
Weight	1.2kg



## PRODUCT CATALOGUE



### 13MM HAMMER DRILL

Code No.	DMV-13K
Concrete	13mm
Wood	25mm
Steel	10mm
Wattage	650w
Weight	1.6kg



### 13MM HAMMER DRILL

Code No.	DMV-570
Concrete	13mm
Wood	25mm
Steel	10mm
Wattage	570w
Weight	1.7kg



### 28MM HAMMER DRILL

Code No.	PHD-283B
Concrete	28mm
Wood	32mm
Steel	13mm
Wattage	800w
Impact Energy	3.21
Weight	2.9kg



### 40MM COMBI HAMMER DRILL

Code No.	PHD-40M
Type	SDS Max
Concrete	40mm
Wood	25mm
steel	10mm
Wattage	100W
Weight	1.7kg



### 28MM HAMMER DRILL

Code No.	PHD-30A
Type	SDS Plus
Concrete	28mm
Wood	30mm
Steel	13m
Wattage	800W
Impact Energy	3.21
Weight	3.5kg



### 5KG DEMOLITION HAMMER

Code No.	KH5000M
Type	SDS Max
Impact Energy	3,800bpm
Weight	5kg



### 15 KG DEMOLITION HAMMER

Code No.	KH-6500
Type	Hex Shank
Impact Energy	1450BMP
Weight	15kg



### 4" ANGLE GRINDER

Code No.	DG-851
Wheel size	100mm
Switch	side switch
Wattage	300W
Weight	3.2kg



### 4.5" ANGLE GRINDER

Code No.	DG-851
Wheel size	115mm
Switch	side switch
Wattage	300W
Weight	0.9kg



### 9" ANGLE GRINDER

Code No.	DG-230fB
Wheel size	100mm
Switch	side switch
Wattage	300W
Weight	3.2kg

## PRODUCT CATALOGUE



### POLISHER

Code No.	DMV-570
Wheel size	180mm
Wattage	1200W
R.P.M	800-2400
Weight	3.2kg



### STRAIGHT GRINDER

Code No.	PG-125
Wheel size	125mm
Wattage	570W
R.P.M	5000
Weight	1.7kg



### 6MM DIE GRINDER

Code No.	PG-604
Collect Size	6mm
Wattage	520
R.P.M	27000
Weight	1.5kg



### STRAIGHT GRINDER

Code No.	PG-604
Collect size	6mm
Wattage	520W
R.P.M	27000
Weight	1.5kg



### 14" INDUSTRIAL CHOP SAW

Code No.	HC-14k
Wheel Size	355mm
Wattage	2300W
Weight	17.7kg



### 190MM INDUSTRIAL CHOP SAW

Code No.	CS-7CB
Wheel Size	190mm
Wattage	1100W
Weight	3.6kg



### PLANNER

Code No.	PP-3A
Cutting Width	82mm
Cutting Depth	1mm
Wattage	460W
R.P.M	15000
Weight	2.5Kg



### SANDER

Code No.	FS-3C
Size	90x250mm
Wattage	250W
R.P.M	1200
Weight	1.4kg



### 185MM CIRCULAR SAW

Code No.	CS-7S
Wheel Size	188mm
Wattage	1100W
Weight	3.0kg



### DRYWALL SCREW DRIVER

Code No.	ASD-SK
Screw	M8
Self screw	6mm
R.P.M	5400
Weight	1.7kg

## PRODUCT CATALOGUE



### 10" MITER SAW

Code No.	KMS-10
Inner Bore	25.4
Wattage	2000W
R.P.M	4800
Weight	3.2kg



### BLOWER

Code No.	BR-20
Voltage	220V
Wattage	600W
Speed	14000/min
Weight	1.8kg



### HEAT GUN

Code No.	KHG-2000C
Temperature	50-400/90-600
Wattage	2000W
Weight	0.8kg



### 125 MM ORBITAL SANDER

Code No.	KOS-125V
Pad dia	125mm
Wattage	270W
R.P.M	9000-1300
Weight	1.5kg



### RECIPRO SAW

Code No.	RS1300
Length	30mm
S.P.M	3000
Weight	3.7kg



### 1/2 IMPACT WRENCH

Code No.	PIW-13
Impact/Minute	2750r.p.m
Size	M12
Wattage	730W
Weight	3.0kg



### TRIMMER

Code No.	KET-6
Dia size	6mm
Rotation	3000r.p.m
Wattage	5000
Weight	3.2kg



### ROUTER

Code No.	RT-12
Dia size	12mm
Rotation	22000r.p.m
Wattage	1510
Weight	5.0kg





# ABRASIVES

An abrasive is a material, often a mineral, that is used to shape or finish a workpiece through rubbing[1] which leads to part of the workpiece being worn away by friction. While finishing a material often means polishing it to gain a smooth, reflective surface, the process can also involve roughening as in satin, matte or beaded finishes. In short, the ceramics which are used to cut, grind and polish other softer materials are known as abrasives.

ABRASIVES



SCOTCH —ORITE PAD 7446



SCRATCH-BRITE HAND PAD 7447




SCOTCH —BRITE PAD 7448



FLAP DISK

Grit
36
50
80



COATED ABRASIVE GELTS

Size	Width
289mm	100mm
272mm	76mm



COATED ABRESIVE BELT



SURFACE CONDITIONING BELTS

Grit
Coarse
Medium
Very fine



DIAMOND BELT




CLOTH RACKING SANDING DISC  
ARBOR MOUNT

Size	Grit
100mm	80
200mm	120
Very fine	150
	180
	220
	320




J CLOTH BACKING SANDING DISC  
SHALT MOUNT




**CLOTH 3A:KING SANDING DISC  
EVELET**

size
19mm
25mm




**CLOTH 3A:KING SANDING DISC  
EVELET**

size
19mm
25mm



**SANDING CISC 150MM HOLE**

size
19mm
25mm




**CLOTH 3A:KING SANDING DISC  
EVELET**

size
19mm
25mm



**5MDINT DISC 15CMRN**

size
19mm
25mm




**FILM BUKNE SARDINE DISC  
201MM 8**

size
19mm
25mm



**FILM BACKING SARDINE DISC**

size
19mm
25mm



**CLOTH 3A:KING SANDING DISC  
EVELET**

size
19mm
25mm



**CLOG FREE PCLYESTER BACKING  
SANDING DISC 150MM**


size
19mm
25mm



**SOFT SASIOING DISC ISOMM**

size
19mm
25mm


PRODUCT CATALOGUE



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit


36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36



SURFACE CONDITIONING BELTS

Grit

36




SURFACE CONDITIONING BELTS

Grit

36



PRODUCT CATALOGUE



DIAMOND CUTTING DISC STONE

Code	Size
2608602600	7"



DIAMOND CUTTING DISC STONE

Code	Size
2608602600	7"



DIAMOND CUTTING DISC STONE

Code	Size
2608602393	4.5"
2608602397	9"



DIAMOND CUTTING DISC STONE

Code
2608602600



DIAMOND CUTTING DISC STONE

Code	Size
2608602237	4.5"
2608602238	9"
2608600733	14"
2608602549	14"



DIAMOND CUTTING DISC STONE

Code
2608602600




DIAMOND CUTTING DISC STONE

Code	Size
2608602552	5"



DIAMOND CUTTING DISC STONE

Code
2608602600



DIAMOND CUTTING DISC STONE

Code	Size
2608602552	5"



DIAMOND CUTTING DISC STONE

Code
2608602600



# HYDRAULIC TOOLS

Hydraulic tools are high-powered tools that use pressurized fluid to operate hydraulic machinery. The fluid moves through hydraulic tubes and into the tool's actuator, where the pressure stored in the fluid is transferred to the machine's moving parts.



## HYDRAULIC TOOLS



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### BATTERY OPERATED CRIMPER

MODEL	SIZE
BC18X	10-185MM2
BC30	35-400MM2
BC63	35-630MM2



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### SELF CONTAINED HYDRAULIC CUTTER

MODEL	SIZE
CT20	390MM
CT40	560MM



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



### SINGLE ACTING PANCAKE CYLINDERS

MODEL	TON
HCL10	10
HCL20	20
HCL30	32
HCL50	50
HCL100	104



### HYDRAULIC KNOCK OUT PUNCH

MODEL	SIZE
HKP10-4	1/2" 4"
HKP10-2	1/2" 2"
SKP7	1/2" 2"



## MANUAL HYDRAULIC PUMP

### MODEL

HP110

HP227

HP257



## MANUAL FOOT PUMP

### MODEL

HP110

HP227

HP257



## SELF CONTAINED HYDRAULIC CUTTER

### MODEL

HP110

HP227

HP257



## ELECTRIC DRIVEN MINI PUMPS

### MODEL

HP110

HP227

HP257



## ELECTRIC DRIVEN TWO STAGE COMPACT PUMP

### MODEL

### SIZE

HEP103242LS, 2.WAY 240V

HEP103342, 3.WAY 240V

HEP103442.4WAY 240V



## JACKS MULTI PURPOSE

### MODEL

HP110

HP227

HP257



## JACK WITH PLAIN PISTON

### MODEL

### TON

JAH620 20

JAH1220 20

JAH630 30

JAH1230 30



## JACK WITH EXTENDED BASE

### MODEL

HP110

HP227

HP257



## JACK WITH PLAIN PISTON

### MODEL

### TON

JAH620 20

JAH1220 20

JAH630 30

JAH1230 30



## STEEL BOTTLE JACK

### MODEL

### TON

HP110 3

HP227 5

HP257 10



## PRODUCT CATALOGUE



### HYDRAUUC TROLLEY JACK

MODEL	TON
CZ20	2.5
CZ30	3
CZ50	5



### HYDRAULIC TROLLEY CRANE

MODEL	TON
GL1000	1.0
GL1500	1.5
GL2000	2.0



### AUTO BODY REPAIR KIT

MODEL	TON
CS45	12



### TRANSMISSION JACK

MODEL	TON
F-10	0.3



### HANO PALLET TRUCK

MODEL	TON
BM-25	2.5
OMCL-223	3
OMCL-149	2



### HYDRAULIC LIFTING TABLE

MODEL	KG
BS50	500
BS75	750
BS100	1000
BS300	300



### HYDRAUUC CABLE DRUM JACK

MODEL	TON
CI-004A	5
CI-004B	10
CI-004C	15



### CABLE DRUM LIFTING JACK SCREW TYPE

MODEL	TON
CJ-0013A	3
CJ-0014A	6
CJ-0017A	8



### CABLE DRUM LIFTING JACK HEAVY

MODEL	TON
CI-0033A	30



### CABLE DRUM LIFTING JACK TOWER

MODEL	TON
CJ-0033A	20



# PLUMBING AND PIPEING TOOLS

A fitting or adapter is used in pipe systems to connect straight sections of pipe or tube, adapt to different sizes or shapes, and for other purposes such as regulating (or measuring) fluid flow. [1] These fittings are used in plumbing to manipulate the conveyance of water, gas, or liquid waste in domestic or commercial environments, within a system of pipes or tubes.

## PLUMBING & PIPELINE TOOLS



### MANUEL BUTT FUSION WELDING MACHINE

**Model** WHDW110 - WHDW 250 M

#### Description

Ideally used for butt welding of PE, PP, PB and PVDF non pressure pipe & fittings from 40 up to 250 mm..



### ELECTROFUSION MACHINE

**Model** EFUSE15 - EFUSE1200

#### Description

Ideally used for electric welding of HDPE pipe and fitting up to 1200 for pressure pipe lines



### CNC BUTT FUSION WELDING MACHINE

**Model** WCNC160 - WCNC1600

#### Description

Highly innovative fourth generation CNC Butt Fusion Welding machine with inbuilt on-site printer suitable for all SDR & pressure stages for PE, PP, PB & PVDF pipe and fittings up to 1600 mm and bigger sizes on request.



### HYDRAULIC & SEMI AUTOMATIC BUTT FUSION MACHINE

**Model** WHDW160 - WHDW2500

#### Description

Ideally used for butt welding of PE, PP, PB and PVDF pipes and fitting for pressure pipe and all SDR stages upto 2500 mm with optional data recording capability.



### WORKSHOP FITTING FABRICATION MACHINE

**Model** WSHOP315 - WSHOP 1200

#### Description

Ideally used for producing PE, PP & PVDF elbow, tees cross and yees for pressure pipe & all SDR stages up to 1200" mm& bigger sizes on request.



### MANUAL WORKSHOP WELDING MACHINE

**Model** SAN160, SAN315

#### Description

Ideally used for lengthening short injection molded fitting or producing an integrated fitting for non pressure pipe upto 315 mm



### SADDLE FUSION MACHINE

**Model** SADDLE630 - SADDLE1200

#### Description

Ideally used for producing PE reducing tee in workshop with the most innovative & integrated process of welding and tapping up to 1200 mm.



### PIPE CUTTING SAWS

**Model** SAW315 - SAW1600

#### Description

Ideally used for precise and perfect angled cutting form 0-67.5 degree for PE, PP, PVDF and PVC pipes, fittings and profiles upto 1600 mm bigger sizes on request





## SOCKET WELDING MACHINE

**Model** SW63, SW160, SW63.PR, SW110.PR

### Description

Extremely light and portable welding unit with heating sigots and bushes for diameters of 20-160mm ideally used with PPR pipes & fittings



## HEATING PLATE

**Model** HP160 - HP1200

### Description

Non-stick Teflon coated high quality heating elements upto 1200 mm and bigger sizes on request



## ELECTROFUSION MACHINES FOR SANITARY APPLICATION

**Model** EFSAN110, EFSAN160, EFSAN315

### Description

Ideally used for electric welding of HDPE pipe and fittings upto 315mm for low pressure drainage pipe lines



## HOT GAS WELDING MACHINE

**Model** HG1600

### Description

Ideally used for electric welding of sheets, water proofing swimming pool and tank construction



## GEOMEMBRANE WEDGE WELDERS

**Model** WEDGE1-2.5, WEDGE0.1-1.2, WEDE0.5-1.5

### Description

Ideally used for welding HDPE, LDPE and other thin or soft membranes from 0.5 mm to 3.0 mm thicknes. Typical application includes pond lining and plastic welding



## EXTERNAL & INTERNAL BEAD REMOVER

**Model** EXBR315, IBR315, IBR630

### Description

Ideally used for removing external and internal bead from the pipe upto 630 mm



## MANUAL RATCHET THREADER SETS

**Model** RACH125(B/N), RACH200(B/N)

### Description

Ideally used for Manual and Precise treading of steel pipe for BSPT and NPT threads available in mm & inches from sizes  $\phi$  1/4" -2". Long ratchet makes the operation easy and comfortable




## MANUAL SCRAPPER, PEELING DEVICE & PIPE SUPPORT

**Model** SCRAPPER, PEELER450, CLAMP315

### Description

Ideally used for peeling of the plastic pipes before performing an electro- fusion joint available for manual and automatic peeling of the outer layer of the pipes support is used for aligning the pipe during welding process.



## EXTRUSION WELDING MACHINE

**Model** WHDW110 - WHDW250M

### Description

Extremely light weight welding extruder for pe,pvc and pp material suitable for 3,4 and 5 mm welding wire Ideally used in swimming pools, HDPEmanholes and tak construction





## PLASTIC PIPE CUTTERS

**Model** PCUT63, PCUT76T, PCUT127T, PCUT170T

### Description

Ideally used for precise cutting of PE, PEX, PB, PVDF and PPR pipes and insulated pipe with optional customized blades for thick walled pipes available in scissor and telescopic versions



## HIDE PIPE & FITTINGS

**Model** Butt Fusion and Electro Fusion Fittings

### Description

High quality butt fusion and electro fusion fittings upto 1600 mm available in segmented and injection molded depending on the customer need ideally used for gas and water networks



## ELECTRICAL PORTABLE THREADER

**Model** EPT200(B/N)

### Description

Ideally used for manual and precise threading of steel pipes for BSPT and NPT threads available in mm and inches, Electrical power motor makes the operation easy especially to work in confined and hard to reach spaces suitable for pipes sizes from  $\phi$  1/2"-2".



## HYDRAULIC GROOVING MACHINE

**Model** HYDRAULIQUE12, HYDRAULIQUE24

### Description

Operated stand alone hydraulic grooving machine ideally used for installation of sprinkler system and quick connection of steel pipes suitable from  $\phi$  2"-12", 8"-24"



## V-HEAD PIPE SUPPORT STAND

**Model** VSTAND12

### Description

V type head equipped with 2 and 4 rollers used for giving support to the metal pipe used during threading or grooving



## HYDRAULIC PIPE CUTTER

**Model** HCUT12

### Description

Used for sparkles, precise and flame free cutting of metal pipe upto 12"



## THREADING DIES & DIE HEADS

**Model** DIES1234(B/N), DIES1020(B/N), DIES2530(B/N), DIES2540(B/N), DIEAD20, DIEAD30, DIEAD40,

### Description

High quality, precise dies and die heads in BSPT and NPT threads, also suitable for other northern american manufacturers including RIDGID\*



## ELECTRICAL THREADING MACHINE

**Model** FILETAGE2.0, FILETAGE3.0, FILETAGE4.0,

### Description

Used in workshop and on-site operations for continuous threading of steel pipes for BSPT, NPT in mm and inches suitable for pipe sizes from  $\phi$  1/2"-4" equipped with forward and reverse option



## MANUAL GROOVING MACHINE

**Model** MGRV6.0

### Description

Ideally used for installations of sprinkler systems and quick connection of steel pipes, Machine to be mounted on FILETAGE and EPT series for performing a groove suitable for performing a groove suitable for pipe sizes from  $\phi$  2"-6"

## PRODUCT CATALOGUE




### HOLE SAW MACHINE

**Model** HSAW150

#### Description

Ideally used for making a precise hole on-site especially for taking out branch connections from the main pipe



### TRIPOD CHAIN VISE STANDS

**Model** TCV6.0

#### Description

High quality, light weight tripod stand equipped with chain vise upto 6" suitable for clamping of various pipe and other material during installations and repair works



### PIPE CUTTERS FOR STEEL & STAINLESS STEEL

**Model** TCV6.0

#### Description

Ideally used for precise cutting of metal pipe with optional blades for stainless steel



### THREADING OIL

**Model** THREDOIL1, THREDOIL2, THREDOIL208,

#### Description

High performance thread cutting oil ideally used with WASERTEK Filetage and EPT threading machines comes in packing of 1 gallon, 25 litres and 208 litres.



### MANUAL HYDRO TEST PUMPS

**Model** WK50 upto WK800 and WK50E, WK50STL

#### Description

Ideally used for exact and quick compression testing and leak testing on pipe work system and containers in heating and sanitary installation, and in boiler and vessel manufacturing available upto 800 bar



### SOLAR & NON SOLAR BARRIER CONTROL GATE

**Model** SOLARIE.8812, JOUR.8812

#### Description

Ideally used for highways barricading, patrol road block, stadium, airport theme parks and crowd control, highly advanced gates equipped with solar panels and lithium cells for powering LED lights for night time illumination



### BRAZING RODS

**Model** BRAZORO, BRAZOR30F, BRAZOR045F,

#### Description

Ideally used for copper pipe installation in cold and hot water or gas pipeline systems and in air conditioning installation available in combination of 0%, 30% and 45% silver. ideally 30% and 45% comes with a flux coating on it.



### THREADING MACHINE 4"

**Model** 1500001486

**Self Opening Head** 1/2", 2", 2.1/2"-4"

**R.P.M** 25(1/2"-2") and 10(2.1/2"-4")

**Power** 1.100w

**Dimensions** 1/2"-3/4", 1"-2"-2.1/2"-4"

**Weight** 145 kg



### HYDRAULIC PIPE BENDERS

**Model** 1000000757

**Size** 1/2"-3/4", 1.1 1/4", 1 1/2"

**Gross weight** 67kg

**Power** 1,100w

**Net Weight** 60kg



## ELECTRICAL HYDRO TEST PUMPS

**Model** EPUMP40, upto  
EPUMP800

### Description

Electrical operated hydro test pump ideally used for exact and quick compression testing and leak testing on pipework systems and containers in heating and sanitary installations. and in boiler and vessel manufacturing available upto 800 bar



## INTELLIGENT RETRACTABLE GATES

**Model** ECO.1318, PREMIUM.1318

### Description

Fully automatic retractable series of gates made of aluminum alloy or stainless steel equipped with anti-collision device with infrared probe and advanced security features ideally used in commercial and residential places including factories palace, warehouse, shopping malls airports and big corporates



## INTELLIGENT RETRACTABLE GATES

**Model** 1500002073

**working range** 1.1/2", 2.6", 8-12"

**Pipewall thickness** 3-10mm

**Current** 230/240

**Power** 1.100w

**Working pressure** 8kg

**Dimensions** 920x460x960

**weight** 129kg



## THREADING MACHINE 2"

**Model** 886420000

**For threading of** NPT-BSPT

**Automatic opened die head** 1/2"-2

**Current** 220v-50/60Hz

**Power** 900w

**Turn speed** 28r.p.m

**Dimensions** 800x600x600

**weight** 68kg



## THREADING MACHINE 2"

**Model** Model


600000000 600010000

**Size** Size

1/4"~1 1/4 1 1/2"~2"

**Weight** Weight

1.7kg 1.7kg



## DIES SET

**Model** Size

6004D4000 1/2"

6005D4000 1/4"

6006D4000 1"

6007D4000 1.1/4



## CHAIN VICE BANDSAW

**Model** XB125

**Cutting Capacity** Upto 4"

**Model** XB180

**Cutting Capacity** Upto 6"



## RP-PRO ILL TESTING PUMP ELECTRIC SELF-PRIMING

**Model** 100000059

**Testing and pressure range** (0,4 bar, 0-570psi, 0-4 Mpa

**Suction/C.AP** 61/m

**Dimensions** 380x286x298mm

**Power** 230V, 130W

**Weight** 8kg

## PRODUCT CATALOGUE




### PLUMBER'S KIT

Model	S00630000 BSPT
145100000	Swedish Wrench 's'
524100000	Box Joint Plier
600000000	Ratchet Handles
600400000	Die Heads
600500000	Die Heads
600600000	Die Heads
701010000	Steel Pipe Cutter



### SEGOFLAME PIEZO

Model	03593100
360° working ability after 1 min Energy consumption stabilizer piezo ignitio	



### FLARING TOOLS

Model	491000000
Size	3/16"~5/8"
Model	492000000
Size	4-14mm
Weight	0.9kg



### WATER PUMP

Model	R6 020000
Pressure	3/16"~5/8"
Size	12 liters
Tank	metal
Weight	8kg



### VACUUM PUMP SEGO VAC 6.0

Model	1500001501
Voltage flow Rate	220V(6.0CFM-170l/min)
Vacuum	15 micron
Power	1/4" HP
Inlet Port	1/4"
Oil Capacity	580 ml
Dimensions	295x145x297mm



### COMPACT THREADERS SET

Model	600220600
Size	1/2"~1 1/4"
Weight	5.5kg
Model	600233200
Size	1/2"~2"
Weight	10.5kg
Model	600230200
Size	1/2"~2"
Weight	10.5kg



### FLARING TOOL SET

Model	491050000
Size	3/16"5/8" with cutter
Model	492050000
Size	4-14mm with cutter
Model	4900030000
Size	1/8"~3/4" with cutter and flares cr
Model	R22240200
Size	1/8"~3/4"



### TUBE CUTTER

Model	750000000
Size	1/4"-25/8"
Cutter Wheel for Brass 5 pcs	
Model	728000000
Size	1/8"~1 1/8"
Cutter Wheel for Brass 5 pcs	



### PLASTIC PIPE CUTTER

Model	568630000
Size	63mm
Weight	0.7kg
Model	568750000
Size	0.75mm
Weight	1.6kg
Material	Aluminum Body



## PRODUCT CATALOGUE



### BOTTOM SEREW CHAIN VISE

Model	400020000
Model	400030000
Length	532mm, 660 mm
Pipe Diameter	4", 6"
Weight	3.9kg, 7kg



### BENCH YOKE VISE

Model	450020000
Model	450030000
Model	450040000
Pipe Diameter	1/8"~2", 1/8"~3", 1/8"~4"
Weight	3.4kg, 5.5kg, 9.6 kg



### STEEL TUBE CUTTER

Model	710040000
Size	2"-4"
Weight	7.2kg
Cutter wheel 2"	701020500
Cutter wheel 4"	710040500



### BASIN WRENCH

Model	118010000
Length	265mm
Jaw opening	10-32mm
Weight	0.47kg



### TRISTAND

Model	463000000
Weight	16kg
Model	464000000
Weight	13kg



### TRISTAND

Model	404040000
Model	404060000
Length	570mm, 762mm
Pipe diameter	4", 6"
Weight	5.5kg, 9.6kg



### STEEL TUBE CUTTER

Model	701010000
Model	701020000
Size	1/8"-1 1/4", 1/8"-2"
Weight	1.1kg, 2.4kg



### BASIN WRENCH

Model	109010000
Length	287mm
Jaw opening	10-32mm
Weight	0.49kg



### TELESCOPIC BASIN WRENCH

Model	117010000
Model	117480000
Length	275mm, 455mm
Length	290mm, 470mm
Jaw opening	10-32mm, 20-48mm
Weight	0.71kg



### MACHINED GROOVE JOINT PLIERS

Model	509120000
Model	509160000
Size	12", 16"
Jaw opening	2", 4"
Weight	0.5kg, 1.3kg



### REVERSIBLE CHAIN WRENCH

Model	107120000
Length	12"
Pipe Diameter	4"
Weight	1.2kg



### TONGUE CHAIN WRENCH

Model	1033000000
Length	350mm upto 1,625mm
Pipe Diameter	1 1/2" upto 12"
Weight	1.4kg upto 24.2 kg

# PRODUCT CATALOGUE



## ALUMINUM PIPE WRENCH

Model	1041100000
Length	10" upto 60"
Jaw opening	1 1/2" upto 8"
Weight	0.34kg upto 12.60kg



## TUBE BENDER

Model	TB-1805
Elbow Diameter	1/4", 5/16", 3/8"
Material	Aluminum
Model	TB-180M
Elbow Diameter	60mm, 8mm, 10mm
Material	Aluminum



## BOX JOINT PLIERS

Model	463000000
Weight	16kg
Model	464000000
Weight	13kg



## STRAP WRENCH

Model	108020000
Length	12"
Pipe Diameter	8"
Weight	0.2kg



## SWEDISH WRENCH 45° & S

Model	143050000
Size	1/2" upto 2"
Jaw opening	25mm upto 67 mm
Weight	0.3kg upto 2.4kg




## HEAVY DUTY PIPE WRENCH

Model	102080000
Length	8" upto 60"
Jaw opening	1" upto 8"
Weight	0.3kg upto 2.3kg



## TUBE BENDERS

Model	Qctb-41
Length	10.5in(270mm)
Tubing OD.Size	3/8", 5/16", 1/4", 3/16"
Weight	0.2kg



## TUBE CUTTER

Model	TC322, TC332, TC341, TTC0441, ZTC-0667
Cutting Range	φ3mm-φ22mm up to φ6mm-φ67mm
Material	Aluminum body/ SUJ2 Blade/PP Handle



## PVC PIPE CUTTER

Model	SYR742A, SYR748, SYR750
Cutting Range	φ42mm-φ48mm upto φ63mm
Material	Aluminum body/ SK5 Straight Blade



## 10" FLEXIBLE PIPE WRENCH

Model	FPW-010
Length	265mm
Jaw opening	9mm-38mm
Material	Cr-Mo Head/ Aluminum Body



## DRUM AUGER

Model	DA1415
Size	1/4" x 15 Ft (4.6m)
Model	DA1425
Size	1/4" x 25 Ft (7.5m)



## DRUM AUGER

Model	DC4M, DC10M, DC64
Extremely light Weight Drain-Cleaning Machine Hand Operated and Powered. Ideally used for Residential Houses, Toilets & Kitchens	

## PRODUCT CATALOGUE



### PLASTIC PIPE CUTTER

Model	Y-4 & Y-5
Cutting Mix	35mm, 42mm
Material	Aluminum Body/SK5 Straight Blade



### HAWK PIPE WRENCH

Model	PW.HD018, PW-HD014
Length	8" up to 18"
Jaw Capacity	1/4"~3/4" up to 1"~2"



### 45° FLARING & SWAGING TOOL SET

Model	FSK45-275L
<ul style="list-style-type: none"> <li>• 1 Pcs-Self-Centering Slip-on forged Steel yoke</li> <li>• 2Pcs Flares Bar: Length 6" flares Size</li> <li>• SPO Swage adaptor '1/3, 1/16-1/4 3/8", 5/16, 1/2, 5/8, 3/4</li> </ul>	



### ELECTRICAL PIPE CUTTER

Model	ECUT-220
Cutting Capacity	15-220mm
Voltage	220v 50HZ
Power	1000w
Pipe Thickness	Steel: 8mm Stainless steel: 6mm Plastic: 12mm
Weight	13.5kg



### FLARING TOOL KIT WITH TUBE CUTTER

Model	FSK45-275L
Flaring Tool: 4, 6, 8, 10, 12, 14, 16 mm 7Pcs Adaptors: 4, 6, 8, 10, 12, 14, 16 mm Tube Cutter : 3-32mm	



### SECTIONAL DRAIN CLEANER

Model	WDC-75
PIPE DIA	1/4"-4"
Suitable for all kinds of indoor and outdoor pipe cleaning, Compact, versatile, professional machine, Capable of running three different size cables: 8mm, 15mm, and 16mm. Unique, easy-to-use, instant-acting cable clutch maximizes operator control	



### SECTIONAL DRAIN CLEANER

Model	WDC-150
Working Range	19mm, 150mm (3/4"-6")
Speed	400RPM
Motor	370 Induction type. Reversible
Weight	48kg



### DRUM TYPE DRAIN CLEANING MACHINE

Model	WDC-150
Working Range	1 1/4" to 4"
Speed	300RPM
Weight	47kg



### ELECTRO HYDRAULIC PIPE BENDER

Model	EBEND.20
MAX STROKE	250mm
Bending Dies	1/2"-2"
Model	EBEND.40
MAX STROKE	370mm
Bending Dies	1/2"-4"



### CIRCULAR PIPE CUTTER

Model	OPIPECUT250
Size	180, 200, 225 & 250mm



### HEAVY DUTY DRAIN CLEANER

Model	WDC-200
Heavy duty sectional drain machines, suitable for main pipes, industrial pipes.	



### HYDRAULIC PIPE BENDER

Model	MBEND.20
Bending Dies	1/2"-2"
Model	MBEND.40
Bending Dies	1/2"-4"



# CLEANING AND CHEMICALS

Cleaning agents or hard-surface cleaners are substances (usually liquids, powders, sprays, or granules) used to remove dirt, including dust, stains, foul odors, and clutter on surfaces. Purposes of cleaning agents include health, beauty, removing offensive odor, and avoiding the spread of dirt and contaminants to oneself and others. Some cleaning agents can kill bacteria (e.g. door handle bacteria, as well as bacteria on worktops and other metallic surfaces) and clean at the same time. Others, called degreasers, contain organic solvents to help dissolve oils and fats



## CLEANING & DEGREASES



### DEGREASING LOTOXANE

**LOTOXANE C043**

A unique Highly Refined, Non Flammable, Residue free, Non Aromatic Solvent Degreaser

#### Packaging

500 ml Trigger, 5 Ltr 20 Ltr 210 Ltr



### QED A048

**QED A048**

A fast evaporating low odor solvent degreaser

#### Packaging

400 ml aerosol



### DEGREASING DELTA

**DELTA C100**

Fast breaking solvent degreaser for ship's bilges and interceptors

#### Packaging

5Ltr Trigger, 20 Ltr 210 Ltr



### DEGREASING LOTOXANE FAST

**LOTOXANE FAST C044**

A Fast drying lotoxane which evaporates three times faster than lotoxane

#### Packaging

500 ml Trigger, 5 Ltr 20 Ltr 210 Ltr



### DEGREASING ECOWASH

**ECOWASH C365**

Multi purpose detergent exterior train cleaner

#### Packaging

20 Ltr, 210 Ltr, 1000 Ltr



### DEGREASING HDD

**HDD C180**

Heavy duty Emulsifiable solvent degreaser

#### Packaging

5 Ltr 20 Ltr 210 Ltr



### DEGREASING SODAKLENZ

**SODAKLENZ C961**

super concentrated high alkaline low form cleaner and degreaser

#### Packaging

20 Ltr, 210 Ltr



### DEGREASING CITROL

**CITROL C834**

Microemulsion cleaner and greaser containing natural orange oils

#### Packaging

5 Ltr, 20 Ltr, 210 Ltr



### SUPERSOLVE AS A145

**SUPERSOLVE AS A145**

Extremely fast evaporating electrical/electronic cleaner and degreaser

#### Packaging

600 ml Aerosol



### DEGREASING AQUAKLENZ

**AQUAKLENZ LF C014**

Water based low form non caustic degreaser for spray wash applications

#### Packaging

20 Ltr

## PRODUCT CATALOGUE



### BRIGHT GALVA A071

**BRIGHT GALVA A071**

Highly concentrated bright finish zinc and aluminum galvanizing compound

**Packaging**  
600 ml Aerosol



### GOLDEN FLUID C150

**GOLDEN FLUID C150**

Heavy duty beaded orange hand Cleaning gel

**Packaging**  
5 Ltr



### BREAKFREE TF A425

**BREAKFREE TF A425**

Highly concentrated zinc galvanizing compound

**Packaging**  
600 ml Aerosol, 5 Ltr



### WIRE ROPE & GEAR LUBRICANT

**WIRE ROPE & GEAR LUBRICANT C150**

Heavy duty aerosol wire rope, chain and machinery lubricant and protector

**Packaging**  
600ml, Aerosol



### SHIELD C284

**SHIELD C284**

Highly quality 3 in 1 corrosion preventative, moisture displacer and light lubricant

**Packaging**  
500 ml trigger, 5 Ltr, 20 Ltr



### WATER BASED ANTI SPATTER

**WATER BASED ANTI SPATTER C830**

Solvent free weld anti spatter

**Packaging**  
500 ml trigger, 20Ltr



### WIRELUBE HD C402

**WIRELUBE HD C402**

Heavy duty Wire rope, chain and gear lubricant

**Packaging**  
20 kg



### THICKENED OXALWASH C976

**THICKENED OXALWASH C976**

A ready to use thickened version of, Oxal-wash to provide increased contact time on heavy deposits

**Packaging**  
20 Ltr, 1000 Ltr



### SYSTEM DESCALER C902

**SYSTEM DESCALER C902**

Powerful descaler and C.I.P cleaner

**Packaging**  
5 Ltr, 20 Ltr



### PROCARE OS C203

**PROCARE OS C203**

Extremely fast evaporating electrical / electronic cleaner and degreaser

**Packaging**  
1 Ltr



# SAFETY AND SECURITY

Construction site safety is an aspect of construction-related activities concerned with protecting construction site workers and others from death, injury, disease or other health-related risks. Construction is an often hazardous, predominantly land-based activity where site workers may be exposed to various risks, some of which remain unrecognized. Site risks can include working at height, moving machinery (vehicles, cranes, etc.) and materials, power tools and electrical equipment, hazardous substances, plus the effects of excessive noise, dust and vibration. The leading causes of construction site fatalities are falls, electrocutions, crush injuries, and caught-between injuries.



## SAFETY & SECURITY



### THUNDER

Model	Color
Thunder Brounze	Dark
Thunder Clear	Clear




### VULCAN02

Model	Color
Vulcan02 Clear	Clear
Vulcan02 Smoke	Dark



### PACAYA

Model	Color
Pacaya Clear	Clear
Pacaya Smoke	Dark



### KILIMANDJARO

Model	Color
Kilimandjaro Clear	Clear
Kilimandjaro Smoke	Dark



### BRAVA2

Model	Color
Brava2 Clear	Clear
Brava2 Yellow	Yellow
Brava2 SMOKE	Dark



### FACE SHIELD & VISOR

Model
Visor Holder
Visor Clear
Visor Dark
Balbi 2
Pico 2



### SPLASH PROOF

Model
Galeras
RUIZ1
MURIA1



### WELDING GLASS

Model
Toba 2 - T5
Lipa 2 - T5



### BARRIER

Model
CASQUUD2NO
CASQUO2HENO
BARRER2
BARRIER



### GRANITE

Colors
White, Yellow, Red, Blue, Black, Orange



### FUJIS

Model	Color
Fuji2 Gradient	Dark
Fuji2 Clear	Clear



### QUARTZ UP VENTILATED HELMET

Colors
White, Yellow, Red, Blue, Green

## PRODUCT CATALOGUE



### SHORT PEAK BUMP CAP AND HELMET MOUNTING GLASS



### 3M SAFETY HELMET

#### Colors

White, Yellow, Red, Blue, Green



### FUJIS

Model	Color
Fuji2 Gradient	Dark
Fuji2 Clear	Clear




### 3M CAP MOUNT EAR MUFF

Model	X2P3E, H9P3E
NRR	24dB, 23dB



### EAR PLUG VAULTEX

Model	VPC, VPU
Description	With Cord, Without Cord
Pkt	1000 Pair, 200 Pair



### 3M PARTICULATE RESPIRATOR N95

Model	8511
PKT	10pcs



### 3M EAR MUFF

Model	330-3045, H9A
NRR	24dB, 25dB



### 3M PARTICULATE RESPIRATOR N95

Model	8210
PKT	20pcs



### BASEBALL DIAMOND

#### Colors

White, Yellow, Red, Blue, Green,  
Black, Orange



### ZIRCON 1

#### Colors

White, Yellow, Red, Blue, Green,  
Black, Orange



### FULL FACE MASK REUSABLE 6000 SERIES,

Model	6800, 6900
Size	Medium, Large



### BUMP CAP COLTATN

#### Colors

White, Yellow, Red, Blue, Green



### PARTICULATE WELDING RESPIRATOR

Model	8212, 8512
Size	10pcs, 10pcs

## PRODUCT CATALOGUE



### ORGANIC VAPOR/ACID GAS CARTRIDGE

**Model**  
6003, 6006



### 3M PARTICULATE RESPIRATOR FFP3

**Model** 8835  
**PKT** 5pcs



### 3M PARTICULATE RESPIRATOR N95

**Model** 9010  
**PKT** 50pcs



### HALF FACE MASK REUSABLE 6000 SERIES

**Model** 6100, 6200, 6300  
**Size** Small, Medium, Large



### SILICON HALF FACE MASK 7500 SERIES

**Model** 7502  
**Size** Medium



### PARTICULATE FILTER P100 RESPIRATOR

**Model** 2091



### PARTICULATE FILTER P100 RESPIRATOR

**Model** Desert  
Ultimate Stylish Safety Shoe With a Canvas Upper  
**Standard** EN ISO 20345  
**Size** 38-47



### D-SPIRIT SIP

**Model** D-Spirit SIP  
Upper-Suede Split Leather Black Colour: Full Grain leather/Mesh. Composite Toe, Non-Metallic safety Shoe  
**Standard** EN ISO 20345 HRO  
**Size** 38-47



### JUMPER2 SIP SRC

**Model** Jumper 2 SIP SRC  
Boots in Pigmented Split Leather Dual Density Pu Outside  
**Standard** EN ISO 20345  
**Size** 36-47



### DD STAR

**Model** DD Star  
Boots in Pigmented Split leather Dual density Pu Outsole.  
**Size** 39-46



### GUM BOOT

**Model** RBB  
**Size** 39-45



## PRODUCT CATALOGUE



### SAGA SIP

<b>Model</b>	SAGA SIP
Composite light weigh safety boot With A Modern look, Composite	
<b>Standard</b>	EN ISO 20345 HRO
<b>Size</b>	39-48



### RIMINI 2 SIP SRC

<b>Model</b>	RIMINI 2 SIP SRC
Suede Leather And Nylon Low Cut Shoe - Pu BI Density Sole	
<b>Standard</b>	EN ISO 20345
<b>Size</b>	36-47



### JET2 SIP

<b>Model</b>	JET2 SIP
Boots In Pigmented Split leather dual density outside	
<b>Standard</b>	EN ISO 20345
<b>Size</b>	36-47



### JET2 SIP

<b>Model</b>	JET2 SIP
Boots In Pigmented Split leather dual density outside	
<b>Standard</b>	EN ISO 20345
<b>Size</b>	36-47



### SIPRO SAFETY SHOE

<b>Model</b>	Sipro sip
Uppt: Action leather 1.8-2 0mmThick Outside: Dual density PU injection molded	
<b>Standard</b>	EN 20345:2011
<b>Size</b>	39-46



### ROCKSTAR SAFETY SHOE

<b>Model</b>	Rockstar
Boots In Pigmented Split leather Dual Density Pu Outsole	
<b>Standard</b>	EN ISO 20345:2011
<b>Size</b>	39-46



**MERMAID TRADING COMPANY**

**شركة حورية المشارق للتجارة**

**OIL FIELD SUPPORT SERVICES**

الدمام ٣٢٢٤١ ، شارع الملك خالد، حي الربيع | هاتف: ٠١٣٨٢٢٦٣٤٤ ، س.ت. ٢٠٦٦١١٦٧

Dammam 32241, King Khalid Street, Al Rabie District |  
Email: [info@mermaid.sa](mailto:info@mermaid.sa) ,| Tel. 013 8226344, CR. 2050178891

